

# A Review and Collection of Metrics and Benchmarks for Quantum Computers: definitions, methodologies and software

Deep Lall


Institute for Quantum Standards and Technology, National Physical Laboratory

# **Quantum Software and Modelling Team**






# Quantum algorithms for materials simulations



APL Quantum 2, 016121 (2025); Nature Comp. Sci. 1, 410 (2021);

pyTTN tensor network library for closed and open quantum systems (https://gitlab.npl.co.uk/qsm/pyttn)

# Effects of noise in quantum algorithms




NPJ Quantum Information 11, 84 (2025); QST 9 015015 (2023); Quantum 6, 804 (2022); PRA 104 022403 (2021)


# Qubit characterisation and benchmarking: towards good practice approaches and standards

A Review and Collection of Metrics and Benchmarks for Quantum Computers: definitions, methodologies and software, arXiv:2502.06717 (2025)

# Theory in support of experiments: material origins of noise in superconducting qubits




M. Lucas., J. Saunders, S. E. de Graaf et al, Nature Comms. 14, 3522 (2023);



M. M. Hegedüs et . al, Science Adv. (2025)

#### **Qubit characterization**



Quant. Sci. Technol. 9, 035017 (2024)

# Acknowledgements





#### **Contributors**

- NPL: Deep Lall, Abhishek Agarwal, Weixi Zhang, Lachlan Lindoy, Tobias Lindstrom, Stephanie Webster, Simon Hall, Ivan Rungger
- NQCC: Theodoros Kapourniotis, Konstantinos Georgopoulos, Ash Vadgama, Simon Plant
- Durham University: Nicholas Chancellor
- University of Edinburgh: Petros Wallden, Raul Garcia-Patron Sanchez, Elham Kashefi
- University of Strathclyde: Viv Kendon, Jonathan Pritchard
- University of Warwick: Animesh Datta











Funding was provided by the National Quantum Computing Centre and the National Quantum Programme







- The emerging quantum computing hardware spans a wide range of different technologies, both for circuit based and non-circuit-based quantum computers. This makes it difficult to compare the performance of the different architectures.
- Manufacturer reported quantum computer performance metrics are often difficult to reproduce. Often, parts of the methodologies used to obtain these performance metrics are not reported.
- There is the need for objective performance comparisons based on well defined metrics by which emerging quantum processors can be fairly measured and compared.

# Existing work on metrics and benchmarks NP





A number of proposed algorithms may achieve quantum advantage



Noise in the hardware is main obstacle

Metrics and benchmarks needed to objectively quantify and guide progress towards quantum advantage

- Development of benchmarks and metrics active area of research: SAND2019-0963R (2018), arXiv:1912.00546; arXiv:2112.09457; entropy (2022); arXiv:2407.08828v1 (2024), arXiv:2407.10941v2 (2024), arXiv:2408.12064 (2024), https://metriq.info/; ...
- Standardization working groups established: https://quantumconsortium.org/;
   https://standards.ieee.org/ieee/7131/10681; https://www.darpa.mil/program/quantum-benchmarking; CEN/CLC JTC22/WG3 benchmarking task force (NPL); IEC/ISO JTC 3 Quantum technologies (NPL), AhG 5 Quantum Computing and Simulation

Work commissioned by the NQCC on "Open Standards for Emerging Quantum Processors":

Define metrics and the associated methodologies by which emerging quantum processors can be fairly measured and compared. A Review and Collection of Metrics and Benchmarks for Quantum Computers: definitions, methodologies and software

Deep Lall\*<sup>1</sup>, Abhishek Agarwal\*<sup>1</sup>, Weixi Zhang\*<sup>1,2</sup>, Lachlan Lindoy<sup>1</sup>, Tobias Lindström<sup>1</sup>, Stephanie Webster<sup>1</sup>, Simon Hall<sup>1</sup>, Nicholas Chancellor<sup>3,4</sup>, Petros Wallden<sup>2</sup>, Raul Garcia-Patron<sup>2,5</sup>, Elham Kashefi<sup>2,6</sup>, Viv Kendon<sup>7</sup>, Jonathan Pritchard<sup>7</sup>, Alessandro Rossi<sup>1,7</sup>, Animesh Datta<sup>8</sup>, Theodoros Kapourniotis<sup>9</sup>, Konstantinos Georgopoulos<sup>9</sup>, and Ivan Rungger<sup>†1,10</sup>

arXiv:2502.06717

### **Aims**



- Collect metrics and benchmarks for quantum computers used in practice
- Necessary properties: transparency, reproducibility, comparability, objectivity
- Using the chosen set of metrics, one should be able to determine:
  - what are the key areas that need improving for the specific QC (hardware vendor)
  - what algorithms may successfully run on the QC (end user)
  - which QC to use (everybody)

## How did we achieve these aims?

- Developed a review of metrics and benchmarks for quantum computers
- Selected metrics that together comprehensively evaluate device performance
- Methodology, assumptions, limitations provided for each metric
- Open-source software provided

# Choice and organisation of metrics





- Aim: comprehensive & holistic evaluation of device performance
- Metrics grouped based on performance aspect they measure

**Hardware architecture properties**: What are the device's architectural properties and what operations is it able to perform?

**Quality metrics**: How close are the outputs of computations on the device to those of the ideal noiseless device?

**Speed metrics**: How fast are operations and algorithms executed on the device?

**Stability metrics**: How stable and reliable is the device over time?

**Non-gate-based quantum computer metrics**: What algorithms are non-gate-based quantum computers targeting and what is their performance?

### **Performance Metrics for Quantum Computers**

M1. HARDWARE ARCHITECTURE PROPERTIES

M1.1. Number of usable qubi

M1.2. Pairwise connectivity

M1.3. Native gate set

M1.4. Capability to perform mid-circuit

#### M2. - M5. QUALITY METRICS

#### HARDWARF MANUFACTURER

### M2. QUBIT QUALITY METRICS

**M2.1.** Qubit relaxation time  $(T_1)$ 

**M2.2.** Qubit dephasing time  $(T_2)$ 

**M2.3.** Idle qubit purity oscillation frequency

#### M3. GATE EXECUTION QUALITY METRICS

M3.1. Gate set tomographybased process fidelity
M3.2. Diamond norm of a

quantum gate
M3.3. Clifford randomized
benchmarking average gate erro
M3.4. Interleaved Clifford
randomized benchmarking gate

M3.5. Cycle-benchmarking composite process fidelity M3.6. Over- or under-rotation

**M3.7.** State preparation and measurement fidelity

### M4. CIRCUIT EXECUTION OUALITY METRICS

M4.1. Quantum volume M4.2. Mirrored circuits average polarization M4.3. Algorithmic qubits M4.4. Upper bound on the

# M5. WELL-STUDIED TASK EXECUTION QUALITY

M5.1. Variational Quantum
Eigensolver metric
M5.2. Quantum Approximate
Optimization Algorithm metric
M5.3. Fermi-Hubbard model
simulation metric
M5.4. Quantum Fourier
Transform metric

#### HARDWARE COMPONENTS

#### APPLICATIONS

#### M6. SPEED METRICS

**16.1.** Time taken to execute a general single- or

M6.2. Time to measure qubits

M6.3. Time to reset qubits

M6.4 Overall device speed on reference tasks

#### M7. STABILITY METRICS

**M7.1.** Standard deviation of a specified metric evaluated over a time interval

#### M8. - M10. NON-GATE-BASED QC METRICS

### M8. METRICS FOR QUANTUM ANNEALERS

M8.1. Single qubit control errors
M8.2. Size of largest mappable
fully connected problem
M8.3. Dimensionless sample
temperature

### M9. METRICS FOR BOSON SAMPLING DEVICES

M9.1. Hardware characterization and model as metrics
M9.2. Quantum advantage demonstration as metric

#### M10. METRICS FOR NEUTRAL

M10.1. Analogue process fidelityM10.2. Trap lifetimeM10.3. Reconfigurable connectivity

## What is included for each metric



### Metric title

Short definition of the metric.

### Long description

Long description of the metric.

#### Measurement procedure

Description of the methodology to measure the metric.

### Assumptions and limitations

Where relevant, a list of assumptions underpinning the metric is provided, as well as practical limitations.


#### Source code


Where available, this section provides links to free open source libraries suitable for measuring the metric.


#### References

- Consistent structure and information for all metrics
- Each metric is as self-contained as possible
- The length depends on metric, can vary between
   1-4 pages depending on metric

# **Accompanying software - QCMet**







# **Conclusions: Further development**



#### Fast scalable metrics for large-scale devices

- Fast benchmarks for 1000+ qubit devices
- Metrics that guide and track progress towards quantum error corrected fault tolerant quantum computing
- Benchmarks for distributed quantum computers

### **Speed and stability metrics**

- **Quantify speed** for running gates to algorithms
- Quantify stability at different timescales

### **Metrics for other components/technologies**

- Benchmarks for quantum software, such as low-level compilers
- Benchmarks for non-gate-based quantum computing approaches

#### Noise assumptions

- Metrics devoid of noise model assumptions
- Metrics quantifying specific kinds of noise such as crosstalk or non-Markovian noise

# Conclusions: towards good practice approaches and standardization



- i. the identification and agreement on the **categories of metrics** that comprehensively benchmark device performance
- ii. the **identification and agreement on a set of well-established metrics** that together comprehensively benchmark performance
- iii. the identification of metrics specific to hardware platforms, including non-gate-based quantum computers
- iv. inter-laboratory comparison studies to develop best practice guides for measurement methodology
- v. agreement on what data and software should be reported together with a metric value to ensure trust, transparency and reproducibility.





# **Summary**

#### M1. HARDWARE ARCHITECTURE PROPERTIES

M1.1. Number of usable qubits

M1.2. Pairwise connectivity

M1.3. Native gate set

M1.4. Capability to perform mid-circuit

measurements

#### M2. - M5. QUALITY METRICS

#### HARDWARE MANUFACTURER

### M2. QUBIT QUALITY METRICS

**M2.1.** Qubit relaxation time (T1)

M2.2. Qubit dephasing time (T2)

M2.3. Idle qubit purity oscillation frequency

#### M3. GATE EXECUTION QUALITY METRICS

M3.1. Gate set tomographybased process fidelity

M3.2. Diamond norm of a quantum gate

M3.3. Clifford randomized benchmarking average gate error

M3.4. Interleaved Clifford randomized benchmarking gate error

M3.5. Over- or under-rotation angle

M3.6. State preparation and measurement fidelity

M3.7. Cycle-benchmarking composite process fidelity

### M4. CIRCUIT EXECUTION OUALITY METRICS

M4.1. Quantum volume M4.2. Mirrored circuits average polarization

M4.3. Algorithmic qubits M4.4. Upper bound on the variation distance

## M5. WELL-STUDIED TASK EXECUTION QUALITY METRICS

**M5.1.** Variational Quantum Eigensolver metric

M5.2. Quantum Approximate Optimization Algorithm metric M5.3. Fermi-Hubbard model simulation metric

M5.4. Quantum Fourier Transform metric

#### HARDWARE COMPONENTS

### APPLICATIONS

#### M6. SPEED METRICS

M6.1. Time taken to execute a general single- or multi-qubit gate

M6.2. Time to measure qubits

M6.3. Time to reset qubits

M6.4. Overall device speed on reference tasks

#### M7. STABILITY METRICS

M7.1. Standard deviation of a specified metric evaluated over a time interval

#### M8. - M10. NON-GATE-BASED QC METRICS

#### M8. METRICS FOR QUANTUM ANNEALERS

M8.1. Single qubit control errors M8.2. Size of largest mappable

fully connected problem **M8.3.** Dimensionless sample temperature

### M9. METRICS FOR BOSON SAMPLING DEVICES

M9.1. Hardware characterization and model as metrics M9.2. Quantum advantage

demonstration as metric

#### M10. METRICS FOR NEUTRAL ATOM DEVICES

M10.1. Analogue process fidelity

M10.2. Trap lifetime

M10.3. Reconfigurable connectivity




- Review and collection of metrics and benchmarks for quantum computer with defined metrics categories
- Open-source library containing methodology implementation
- Identified key areas for further development of metrics
- Proposed items for development of good practice guides as first step towards longer term development of standards

# Our current research feeding into qubit quality and application-level benchmarks





### Tensor networks based classical and quantum algorithms for materials simulations & QEC




Determining limit of classical simulability and quantum advantage










APL Quantum 2, 016121 (2025);

Towards hardware implementations




IBM Heron Ben Jaderberg *et al.*, arXiv:2503.09683

### **Automated fast-tracking of noise fluctuations:**



A. Agarwal *et al.*, arXiv:2505.23622





# Thank you!